ELSEVIER

Forensic Science International
Vol. 185, Nos. 1–3, 10th March, 2009

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Review

Analysis of toxic alkaloids in body samples
J. Beyer, O.H. Drummer and H.H. Maurer 1–9

Research Articles

Fluoromethcathinone, a new substance of abuse
R.P. Archer 10–20

Speaker-dependent characteristics of the nasals
K. Amino and T. Arai 21–28

New perspectives in the use of ink evidence in forensic science: Part I. Development of a quality assurance process for forensic ink analysis by HPTLC
C. Neumann and P. Margot 29–37

New perspectives in the use of ink evidence in forensic science. Part II. Development and testing of mathematical algorithms for the automatic comparison of ink samples analysed by HPTLC
C. Neumann and P. Margot 38–50

A fraud management system architecture for next-generation networks
M.A. Bihina Bella, J.H.P. Eloff and M.S. Olivier 51–58

Estimation of the measurement uncertainty of methamphetamine and amphetamine in hair analysis
S. Lee, Y. Park, W. Yang, E. Han, S. Choe, M. Lim and H. Chung 59–66

Comparison of GC–MS and GC–IRD methods for the differentiation of methamphetamine and regioisomeric substances
T. Awad, T. Belal, J. DeRuiter, K. Kramer and C.R. Clark 67–77

Predicting the visitation of carcasses by carrion-related insects under different rates of degree-day accumulation
J.-P. Michaud and G. Moreau 78–83

Determination of nicotine in hair samples of pre-Columbian mummies
F. Musshoff, W. Rosendahl and B. Madea 84–88

Postmortem identification of hyperglycemia
B. Zilg, K. Alkass, S. Berg and H. Druid 89–95

Application of CdSe nanoparticle suspension for developing latent fingermarks on the sticky side of adhesives
Y.F. Wang, R.Q. Yang, Y.J. Wang, Z.X. Shi and J.J. Liu 96–99

Detection of acute fentanyl exposure in fresh and decomposed skeletal tissues
N.M. Lafrenière and J.H. Watterson 100–106

Effects of temperature on the development of the Neotropical carrion beetle *Oxelytrum discicolle* (Brullé, 1840) (Coleoptera: Silphidae)
Y. Velásquez and A.L. Viloria 107–109

Age estimation based on three-dimensional measurement of mandibular central incisors in Japanese
H. Someda, H. Saka, S. Matsunaga, Y. Ide, K. Nakahara, S. Hirata and M. Hashimoto 110–114

(Contents continued on page I)

0379-0738(20090310)185:1/3;1-U

08021

ELSEVIER

Forensic Science International
Vol. 185, Nos. 1–3, 10th March, 2009

Forensic Science International

www.elsevier.com/locate/forsciint

Contents

Abstracted in: *Biological Abstracts: Bulletin Signaletique: CABS (Current Awareness in Biological Sciences); Cambridge Scientific Abstracts; Chemical Abstracts: Criminology, Penology and Police Science Abstracts; Current Contents; EMBASE/Excerpta Medica; Medline/Index Medicus; National Criminal Justice Reference Service; Police Science Abstract; Science Citation Index; PubMed; Scopus.*

Review

Analysis of toxic alkaloids in body samples
J. Beyer, O.H. Drummer and H.H. Maurer 1–9

Research Articles

Fluoromethcathinone, a new substance of abuse
R.P. Archer 10–20

Speaker-dependent characteristics of the nasals
K. Amino and T. Arai 21–28

New perspectives in the use of ink evidence in forensic science: Part I. Development of a quality assurance process for forensic ink analysis by HPTLC
C. Neumann and P. Margot 29–37

New perspectives in the use of ink evidence in forensic science. Part II. Development and testing of mathematical algorithms for the automatic comparison of ink samples analysed by HPTLC
C. Neumann and P. Margot 38–50

A fraud management system architecture for next-generation networks
M.A. Bihina Bella, J.H.P. Eloff and M.S. Olivier 51–58

Estimation of the measurement uncertainty of methamphetamine and amphetamine in hair analysis
S. Lee, Y. Park, W. Yang, E. Han, S. Choe, M. Lim and H. Chung 59–66

Comparison of GC–MS and GC–IRD methods for the differentiation of methamphetamine and regioisomeric substances
T. Awad, T. Belal, J. DeRuiter, K. Kramer and C.R. Clark 67–77

Predicting the visitation of carcasses by carrion-related insects under different rates of degree-day accumulation
J.-P. Michaud and G. Moreau 78–83

Determination of nicotine in hair samples of pre-Columbian mummies
F. Musshoff, W. Rosendahl and B. Madea 84–88

Postmortem identification of hyperglycemia
B. Zilg, K. Alkass, S. Berg and H. Druid 89–95

Application of CdSe nanoparticle suspension for developing latent fingermarks on the sticky side of adhesives
Y.F. Wang, R.Q. Yang, Y.J. Wang, Z.X. Shi and J.J. Liu 96–99

Detection of acute fentanyl exposure in fresh and decomposed skeletal tissues
N.M. Lafrenière and J.H. Watterson 100–106

Effects of temperature on the development of the Neotropical carrion beetle *Oxelytrum discicolle* (Brullé, 1840) (Coleoptera: Silphidae)
Y. Velásquez and A.L. Viloria 107–109

Age estimation based on three-dimensional measurement of mandibular central incisors in Japanese
H. Someda, H. Saka, S. Matsunaga, Y. Ide, K. Nakahara, S. Hirata and M. Hashimoto 110–114

(Contents continued on page I)

0379-0738(20090310)185:1/3;1-U

08021

(Contents continued from outside back cover)

Online extra

Forensic Anthropology Population Data

Age- and sex-related changes in the soft tissues of the orbital region
C. Sforza, G. Grandi, F. Catti, D.G. Tommasi, A. Ugolini and V.F. Ferrario 115–115

Case Reports

Oxethazaine as the source of mephentermine and phentermine in athlete's urine doi: 10.1016/j.forsciint.2008.12.009
M.-C. Hsu, S.-F. Lin, C.-P. Kuan, W.-L. Chu, K.-H. Chan and G.-P. Chang-Chien e1–e5

A serial killer of elderly women: Analysis of a multi-victim homicide investigation doi: 10.1016/j.forsciint.2008.12.023
C.P. Campobasso, M.F. Colonna, F. Carabellese, I. Grattagliano, C. Candelli, R.J. Morton and R. Catanesi e7–e11

Rapid Communications

Urine ratio of tetrahydrocortisol to tetrahydrodeoxycortisol to screen for the systemic administration of cortisone and hydrocortisone doi: 10.1016/j.forsciint.2008.12.011
N. Meklat, J.-C. Tabet and J. de Ceaurriz e13–e17

The color(s) of human hair—Forensic hair analysis with SpectraCube® doi: 10.1016/j.forsciint.2008.12.018
C. Birngruber, F. Ramsthaler and M.A. Verhoff e19–e23

Collection of intraoral findings in corpse with small-scale color dental scanner system doi: 10.1016/j.forsciint.2009.01.004
M. Yoshida, Y. Hanaoka, T. Tsuzuki, A. Ueno, T. Takagi, K. Iwahara, M. Yasuda, Y. Sato and K. Minaguchi e25–e28

Letter to the Editor

Why digit ratio (2D:4D) is inappropriate for sex determination in medicolegal investigations doi: 10.1016/j.forsciint.2009.01.002
M. Voracek e29–e30

Additional material available online.